

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
20 January 2005 (20.01.2005)

PCT

(10) International Publication Number  
**WO 2005/004647 A2**

- (51) International Patent Classification<sup>7</sup>: **A41B**
- (21) International Application Number:  
**PCT/IL2004/000630**
- (22) International Filing Date: **13 July 2004 (13.07.2004)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
**60/487,275** **14 July 2003 (14.07.2003)** **US**
- (71) Applicant (for all designated States except US): **BAGIR CO. (1961) LTD. [IL/IL]; P.O. Box 187, 82101 Kiryat Gat (IL).**
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **ZOHAR, Shai [IL/IL]; 53 Aba Hillel Street, 52532 Ramat Gan (IL). KIMCHI, Mordechai [IL/IL]; 7 Ehad Haam Street, 58340 Holon (IL).**
- (74) Agents: **SANFORD T. COLB & CO. et al.; P.O. Box 2273, 76122 Rehovot (IL).**

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

[Continued on next page]

(54) Title: **FLEXIBLE VENTILATED SLEEVE ATTACHMENT**



(57) Abstract: An article of upper-body clothing including fabric defining a clothing body, fabric defining at least one clothing sleeve and being joined to the fabric defining a clothing body, in a manner which defines an opening at an underarm region, and a resiliently stretchable material joined to the fabric defining a clothing body and to the fabric defining at least one clothing sleeve to cover the opening.

WO 2005/004647 A2



---

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**IAP20 Rec'd PCT/PTO 12 JAN 2006**

FLEXIBLE VENTILATED SLEEVE ATTACHMENT

FIELD OF THE INVENTION

[0001] The present invention relates to clothing and more particular to jackets.

BACKGROUND OF THE INVENTION

[0002] The following U.S. Patents relate to the general field of the present invention:

[0003] 6,263,510; 6,210,771 and 6,499,141.

## SUMMARY OF THE INVENTION

[0004] The present invention seeks to provide an improved article of clothing.

[0005] There is thus provided in accordance with a preferred embodiment of the present invention an article of upper-body clothing including fabric defining a clothing body, fabric defining at least one clothing sleeve and being joined to the fabric defining a clothing body, in a manner which defines an opening at an underarm region, and a resiliently stretchable material joined to the fabric defining a clothing body and to the fabric defining at least one clothing sleeve to cover the opening.

[0006] Preferably, the fabric defining at least one clothing sleeve is joined to the fabric defining a clothing body along a seam which defines the opening. Additionally, the fabric defining at least one clothing sleeve overlaps the fabric defining a clothing body along a seam, which defines the opening, at the opening. Alternatively or additionally, the opening includes a ventilating opening and the resiliently stretchable material including a ventilating material.

[0007] In accordance with another preferred embodiment of the present invention the resiliently stretchable material is attached along a first edge thereof to the fabric of the clothing sleeve extending over the opening and is attached along a second edge thereof to a portion of the fabric defining a clothing body which underlies the opening.

## BRIEF DESCRIPTION OF THE DRAWINGS

[0008] The present invention will be understood and appreciated more fully from the following detailed description, taken in conjunction with the drawings in which:

[0009] Fig. 1 is an illustration of a jacket constructed and operative in accordance with a preferred embodiment of the present invention in a first operative orientation; and

[0010] Fig. 2 is an illustration of the jacket of Fig. 1 in a second operative orientation.

## DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

[0011] Reference is now made to Fig. 1, which illustrates a jacket constructed and operative in accordance with a preferred embodiment of the present invention in an "arms down" orientation. As seen in Fig. 1, there is provided a jacket of conventional outer appearance having a jacket body 100 to which are attached sleeves 102.

[0012] It is a particular feature of the present invention that, unseen from the outside, in the underarm region there is provided a ventilating opening 104 which is covered by a stretchable ventilating insert 106.

[0013] Turning specifically to the enlarged portions of Fig. 1, it is seen that in a preferred arrangement, in the underarm region generally indicated by an arrow 108, an edge 110 of a sleeve suiting fabric 112 is not stitched to a corresponding edge 114 of a jacket body suiting fabric 116. Rather portions of the suiting fabric adjacent edges 110 and 114 are arranged in mutually overlapping relationship as indicated by arrow 118 and designated X1.

[0014] Preferably, stretchable ventilating insert 106, which is preferably formed of an open knit or woven fabric formed of LYCRA R, joins edge 110 and the jacket body suiting fabric 116 at a portion designated by reference numeral 120.

[0015] Reference is now made to Fig. 2, which illustrate the jacket of Fig. 1, in an orientation when the wearer raises his arms. It is seen that upon raising of the wearer's arm the edge 110 of the sleeve suiting fabric 112 is raised, without a corresponding raising of edge 114 of the jacket body suiting fabric 116. The amount of overlap is reduced from X1 to X2 and is taken up by stretching of the stretchable ventilating insert 106.

[0016] An important feature resulting from the structure described above is that when a wearer of the jacket raises his arms, the jacket body is not raised correspondingly as heretofore.

[0017] A further important feature provided by the structure described above is ventilation of the underarm region via stretchable ventilating insert 106, as indicated diagrammatically by arrows 122 in Fig. 2.

[0018] It will be appreciated by persons skilled in the art that the present invention is not limited to what has been particularly shown and described hereinabove.

Rather the scope of the present invention includes both combinations and subcombinations of the various features described hereinabove as well as modifications and variations thereof as would occur to a person of skill in the art upon reading the foregoing specification and which are not in the prior art.

## C L A I M S

1.           An article of upper-body clothing comprising:  
              fabric defining a clothing body;  
              fabric defining at least one clothing sleeve and being joined to said fabric defining a clothing body, in a manner which defines an opening at an underarm region;  
              and  
              a resiliently stretchable material joined to said fabric defining a clothing body and to said fabric defining at least one clothing sleeve to cover said opening.
2.           An article of upper-body clothing according to claim 1 and wherein said fabric defining at least one clothing sleeve is joined to said fabric defining a clothing body along a seam which defines said opening.
3.           An article of upper-body clothing according to claim 1 and wherein said fabric defining at least one clothing sleeve overlaps said fabric defining a clothing body along a seam, which defines said opening, at said opening.
4.           An article of upper-body clothing according to claim 1 and wherein said opening comprises a ventilating opening and said resiliently stretchable material comprising a ventilating material.
5.           An article of upper-body clothing according to claim 1 and wherein said resiliently stretchable material is attached along a first edge thereof to said fabric defining at least one clothing sleeve extending over said opening and is attached along a second edge thereof to a portion of said fabric defining a clothing body which underlies said opening.
6.           An article of upper-body clothing according to claim 2 and wherein said fabric defining at least one clothing sleeve overlaps said fabric defining a clothing body along said seam at said opening.



7. An article of upper-body clothing according to claim 2 and wherein said opening comprises a ventilating opening and said resiliently stretchable material comprising a ventilating material.

8. An article of upper-body clothing according to claim 2 and wherein said resiliently stretchable material is attached along a first edge thereof to said fabric defining at least one clothing sleeve extending over said opening and is attached along a second edge thereof to a portion of said fabric defining a clothing body which underlies said opening.

9. An article of upper-body clothing according to claim 3 and wherein said opening comprises a ventilating opening and said resiliently stretchable material comprising a ventilating material.

10. An article of upper-body clothing according to claim 3 and wherein said resiliently stretchable material is attached along a first edge thereof to said fabric defining at least one clothing sleeve extending over said opening and is attached along a second edge thereof to a portion of said fabric defining a clothing body which underlies said opening.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
20 January 2005 (20.01.2005)


PCT

(10) International Publication Number  
**WO 2005/004649 A3**

- (51) International Patent Classification<sup>7</sup>: **A41D 1/02** (74) Agents: EITAN PEARL LATZER & COHEN-ZEDEK et al.; 7 Shenkar Street, 46725 Herzlia (IL).
- (21) International Application Number: **PCT/IL2004/000385** (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (22) International Filing Date: **9 May 2004 (09.05.2004)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data: **60/486,463** **14 July 2003 (14.07.2003)** **US**
- (71) Applicant (for all designated States except US): **BAGIR CO. (1961) LTD. [IL/IL]**; 44 Israel Pollack Road, 82101 Kiryat Gat (IL).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **MEGED, David [IL/IL]**; 4A Hermon Street, 77709 Ashdod (IL).
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,

[Continued on next page]

(54) Title: **AN ITEM OF APPAREL.**



(57) Abstract: An article of upper-body clothing (100) including shell fabric defining a body to which are attached sleeves (102) along body-sleeve seams, and another instrument, preferably stretchable or stretchable ventilating bands (104) underlying the fabric in regions of the body-sleeve seams

WO 2005/004649 A3



SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**Published:**

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

**(88) Date of publication of the international search report:**

14 July 2005

